Client Code: JF0000709

ANALYTICAL REPORT

AR-24-JF-008182-01

Received On: 12Feb2024 Reported On: 14Feb2024

813-2024-02120233 **Sample Registration Date**: 12Feb2024

1 Condition Upon Receipt: acceptable, non-perishable

Sample Description: 03924FBFDGB - Micro Sample Reference: Open Farm Certified Humane

Grass Fed Beef

Glass reu Deel

UMQW9 - Salmonella species - AOAC-RIReferenceAccreditationCompleted121501ISO/IEC 17025:201713Feb2024

121501 AOAC-RI 121501 ISO/IEC 17025:2017 13Feb202 A2LA 3329.02

Parameter Result

Salmonella spp. Not Detected per 375 g

UMVUE - E. coli - BAM Chapter 4 Reference Accreditation Completed

FDA BAM Chapter 4 ISO/IEC 17025:2017 14Feb2024

Parameter Result

E. coli < 3 MPN/g

ZM602 - Listeria monocytogenes - AOAC-RI 061703Reference
AOAC-RI 061703

Reference
AOAC-RI 061703

Reference
AOAC-RI 061703

SO/IEC 17025:2017

13Feb2024

A2LA 3329.02

Parameter Result

Listeria monocytogenes Not Detected per 125 g

ACCREDITED

Page 1 of 2 2/14/24 3:49 pm

Client Code: JF0000709

ANALYTICAL REPORT

AR-24-JF-008182-01

Received On: 12Feb2024 Reported On: 14Feb2024

Results shown in this report relate solely to the item submitted for analysis. | Any opinions/interpretations expressed on this report are given independent of the laboratory's scope of accreditation. | All results are reported on an "As Received" basis unless otherwise stated. | Reports shall not be reproduced except in full without written permission of Eurofins Scientific, Inc. | All work done in accordance with Eurofins General Terms and Conditions of Sale:

www.eurofinsus.com/terms_and_conditions.pdf | \(\sqrt{} \) Indicates a subcontract test to a different lab. Lab(s) are listed at end of the report. For further details about the performing labs please contact your customer service contact at Eurofins. Measurement of uncertainty can be obtained upon request.

Page 2 of 2 2/14/24 3:49 pm