

SILLIKER, Inc.

Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417

Tel. 877-777-6375 Fax. 312-729-1320 Email: getresults-mweca@mxns.com

CERTIFICATE OF ANALYSIS

COA No:	CHG-44936902-0
Supersedes:	None
COA Date	7/9/21
Page 1 of 1	

Received From:	Toronto, ON
Received Date:	7/7/21
P.O.# / ID:	1912
Location of Test: (except where noted)	
Crete, IL	

Analytical Results

Laboratory ID: 411276815 Condition Rec'd: NORMAL Temp Rec'd (°C): 7

Desc. 1: 12462

 Desc. 2:
 Turkey, RTE CH

 Desc. 3:
 PO 1912

Desc. 4:

Analyte Result Units Method Reference Test Date Loc. * E. coli O157:H7 PCR AOAC RI 031002 Negative /325g 7/8/21 7/9/21 PCR L. monocytogenes Negative /25g USDA, MLG 8A.05 * Salmonella - ELFA Negative /25g AOAC 2004.03 7/9/21

Steven Zbylut Laboratory Director

I Customer supplied information

* ISO17025 Accredited Analysis

† Indicates reason for COA amendent when applicable

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Merieux NutriSciences Terms and Conditions for Services apply.