

**Silliker Canada Co., Markham Laboratory**

90 Gough Road, Unit 4, Markham, Ontario L3R 5V5

Tel. 1-844-200-0977 Fax. 905-479-4645

Email: getresults-canada@mxns.com

|                    |                |
|--------------------|----------------|
| <b>COA No:</b>     | MRK-49718367-0 |
| <b>Supersedes:</b> | None           |
| <b>COA Date</b>    | 9/15/25        |
|                    |                |

|                       |             |
|-----------------------|-------------|
| <b>Received From:</b> | Toronto, ON |
| <b>Received Date:</b> | 9/4/25      |

**Location of Test: (except where noted)**  
Markham, Ontario

**Analytical Results**

**Laboratory ID:** 445287720 **Condition Rec'd:** NORMAL **Temp Rec'd (°C):** -1.8  
**Sample Name:** Open Farm Chicken Meatballs

**Additional Field 1:** Lot#:25245CXMBC BBD: 12/02/2026

| <u>Analyte</u>                  | <u>Result</u> | <u>Units</u> | <u>Method Reference</u> | <u>Method</u> | <u>Test Date</u> | <u>Loc.</u> |
|---------------------------------|---------------|--------------|-------------------------|---------------|------------------|-------------|
| * E. coli - Petrifilm           | <10           | CFU/g        | MFHPB-34                | 3204          | 9/5/25           |             |
| * Listeria monocytogenes (ELFA) | Negative      | /25g         | MFLP-33                 | QA-9901-3251  | 9/8/25           |             |
| * Salmonella ELFA - SPT         | Negative      | /25g         | MFLP-49                 | QA-9901-3760  | 9/5/25           |             |

Daniel Kim

Laboratory Director

*I* Customer supplied information \* ISO17025 Accredited Analysis † Indicates reason for COA amendment when applicable

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.