

REPORT NUMBER

**23-314-9971**

REPORT DATE  
**Nov 10, 2023**  
RECEIVED DATE  
**Nov 08, 2023**

SEND TO  
**35432**



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
www.midwestlabs.com

**PAGE 1/2**

ISSUE DATE  
**Nov 10, 2023**

### REPORT OF ANALYSIS

OPEN FARM

Dog-OF Plant Kibble

Analysis	Level Found	Units	Reporting		Analyst-Date	Verified-Date
	As Received		Limit	Method		
Sample ID: <b>31023FPLDKB</b>		Lab Number: <b>14177714</b>		Date Sampled: <b>2023-11-07</b>		
Salmonella	negative	org/375g	1	AOAC OMA #2013.02; AFNOR QUA 18/08-03/15		smb8-2023/11/09 snl7-2023/11/09
E. coli (generic)	n.d.	cfu/g	10	AOAC OMA 2018.13		Jhv0-2023/11/09 snl7-2023/11/09
Listeria monocytogenes	negative	org/125g	1	Real-Time PCR Assay; AOAC-RI 121402/AFNOR QUA 18/10-01/19		Hct6-2023/11/10 mml4-2023/11/10

For questions please contact:

Jamie Wood  
Account Manager  
jwood@midwestlabs.com (402)590-2964

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

**REPORT OF ANALYSIS**

OPEN FARM

Dog-OF Plant Kibble

**Detailed Method Description(s)****E. coli and Total Coliform using 3M Petrifilm**

Sample analysis follows MWL MI 292 which is based on AOAC 2018.13. A representative sample is obtained and added to phosphate buffer. Aliquots of the sample are withdrawn and placed on Petrifilm plates. The plates are incubated for 18 to 24 hours. After incubation, the plates are counted to determine the number of generic E. coli and total coliforms present. The color of the colony and the presence of gas differentiate a generic coliform from E. coli. The levels are reported as colony forming units (cfu).

**L. mono real-time PCR**

Sample analysis follows MWL MI 343 which utilizes the BAX<sup>®</sup> System Real-Time PCR Assay for Listeria monocytogenes. A representative sample is added to selective media, then incubated. After incubation, the sample DNA is analyzed using the BAX<sup>®</sup> System. Results are reported as negative or presumptive positive for L. monocytogenes.

**Sal - real time PCR**

Sample analysis follows MWL MI 334 which is based on AOAC OMA 2013.02. A representative sample is obtained and combined with enrichment media, then incubated. After incubation, DNA is extracted from the sample and analyzed using BAX Real-Time PCR. Results are reported as negative or presumptive positive for Salmonella.

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

**Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.**