

## SILLIKER, Inc.

## **Illinois Laboratory**

3600 Eagle Nest Drive, North Building, Crete, IL 60417

Tel. 877-777-6375 Fax. 312-729-1320 Email: getresults-mweca@mxns.com

To. Lab Results Open Farm 170 Bedford Road

Toronto, ON M5R2K9

## **CERTIFICATE OF ANALYSIS**

COA No:	CHG-44330245-0
Supersedes:	None
COA Date	1/10/21
Page 1 of 1	•

Received From:	Toronto, ON
Received Date:	1/8/21
P.O.# / ID:	37149
Location of Test: (except where noted)	
Crete, IL	

## **Analytical Results**

Laboratory ID: 406770197 Condition Rec'd: NORMAL Temp Rec'd (°C): 3

**Desc. 1**: 12468

 Desc. 2:
 Beef, RTE CH

 Desc. 3:
 PO 1543

Analyte Result Units Method Reference Test Date Loc. \* E. coli O157:H7 PCR Negative /325g AOAC RI 031002 1/9/21 PCR L. monocytogenes Negative /25g USDA. MLG 8A.05 1/10/21 \* Salmonella - ELFA Negative /25g AOAC 2004.03 1/10/21

Steven Zbylut Laboratory Director

I Customer supplied information

\* ISO17025 Accredited Analysis

† Indicates reason for COA amendent when applicable