

## **CERTIFICATE OF ANALYSIS**

# COA No: CHG-45503149-0 Supersedes: None COA Date 12/24/21 Page 1 of 1

### SILLIKER, Inc.

### **Illinois Laboratory**

3600 Eagle Nest Drive, North Building, Crete, IL 60417

Tel. 877-777-6375 Fax. 312-729-1320 Email: getresults-mweca@mxns.com

COPY TO:

To. Lab Results
Open Farm
170 Bedford Road
Toronto. ON M5R2K9

Received From:	Toronto, ON
Received Date:	12/22/21
P.O.# / ID:	38507
Location of Test: (except where noted)	
Crete, IL	

# **Analytical Results**

Laboratory ID: 415407906 Condition Rec'd: NORMAL Temp Rec'd (°C): 3

**Desc. 1**: 12468

**Desc. 2:** Beef, RTE CH 12 oz

**Desc. 3:** PO 2111

Analyte Result Units Method Reference Test Date Loc. \* E. coli O157:H7 PCR Negative /325g AOAC RI 031002 12/23/21 PCR L. monocytogenes Negative /25g USDA. MLG 8A.05 12/24/21 \* Salmonella - ELFA Negative /25g AOAC 2004.03 12/24/21

Reisha Barnes

Reisha Barnes Laboratory Director