

Project Description: Product Testing (PO Verbal)

2064 Gravenstein Hwy. N, Bld. 1 Ste. 130
 Sebastopol, CA 95472
Contact: Christopher Schubert

Certificate of Analysis

AEMTEK #: 2201968 Open Farm

Sampling Date: 2022-01-14
Sample Received: 2022-01-18
Analysis Started: 2022-01-18
Analysis Performed By: BC, EL, KL, PN
Report Issue Date: 2022-01-20

Analyte			Escherichia coli	Salmonella	Listeria genus
Method			AOAC OMA 991.14	AOAC OMA 2011.03	AOAC OMA 2013.10
Reporting Unit			CFU/g	per 375g	per 125g
Method Detection Limit for Reporting			10	P/A	P/A
Sample ID	Sample Description	Lot #/Code	RESULTS		
1	Open Farm Cow Milk Kefir T/C 30oz	APR 14 23 5100000128	<10	ND	ND

Terminology:

CFU = Colony Forming Units g = gram
 < Indicates less than the reporting limit as noted
 ND = Not Detected, negative, absent. Sensitivity is about 1 organism per test portion.
 BAM = FDA Bacteriological Analytical Manual
 AOAC OMA = Official Methods of Analysis of the AOAC International, 18th ed.

MPN = Most Probable Number
 P/A = Presence/Absence N/A = Not Applicable or not analyzed
 CP Staph = Coagulase Positive Staphylococci (Staphylococcus aureus)
 CMMEF = Compendium of Methods for the Microbiological Examination of Foods, 4th ed.
 AOAC RI = AOAC Research Institute Performance Tested.